

UZBEKİSTAN

O'ZBEKİSTAN
LANGUAGE & CULTURE

O'ZBEKİSTON
TIL VA MADANIYAT

KOMPYUTER
LINGVİSTİKASI

2023 Vol. 2 (6)

www.compling.tsuull.uz

ISSN 2181-922X

MUNDARIJA

Shahlo Hamroyeva, Noila Matyakubova

Mashina tarjimasida matnni moslashtirish usullari.....6

Zilola Xusainova

O'zbek tili milliy korpusi qidiruv tizimini optimallashtirishda
lemmatizatsiyadan foydalanish.....20

Shahlo Abdisalomova

O'zbek tilida pronominal anaforani hobbs yondashuvi
asosida hal etish modeli.....38

Botir Elov, Narzullo Alayev, Aziz Yuldashev

Svd va nmf metodlari orqali tematik modellashtirish.....55

Botir Elov, Madina Samatboyeva

Ner: o'zbek tilidagi matnlarda toponim(lar)ni
avtomatik aniqlash modellari.....67

Dilraboxon Rustamova

Lingvistik atamalarning so'zligini shakllantirish hamda
terminlarni standartlashtirish asoslari.....85

SVD VA NMF METODLARI ORQALI TEMATIK MODELLASHTIRISH

Botir Elov¹,
Narzullo Alayev²,
Aziz Yuldashev³

Annotatsiya.

Tabiiy tilni qayta ishslash (NLP) sohasida tematik modellashtirish nazoratsiz o'rganish vazifasi bo'lib, uning maqsadi hujjatlar to'plamidan mavhum hisoblangan mavzularni aniqlashdan iborat. Tematik modellashtirishda ko'p hujjatlarning matn korpusini hisobga olgan holda, matn haqidagi mavhum mavzular aniqlanadi. Tematik modellashtirish – Machine Learning (ML) uchun nazorat qilib bo'lmaydigan vazifa hisoblanadi. Ushbu maqolada til korpusi matnlarini SVD va NMF metodlari orqali tematik modellashtirish masalasi ko'rib chiqiladi.

Kalit so'zlar: til korpusi, tematik modellashtirish, hujjat-mavzu, atama-mavzu.

Kirish

Bir nechta hujjatlardan iborat katta hajmdagi til korpusi berilgan bo'lsin. Har bir hujjatni o'qib chiqmasdan (tahlil qilmasdan) turib, berilgan hujjatlar to'plamidagi asosiy mavzularni aniqlash lozim bo'lsin. **Tematik modellashtirish** orqali til korpusidagi ma'lumotlarni ma'lum miqdordagi *mavzularga ajratiladi* [Vayanskiy, 2020; Churchill, 2022]. **Mavzular** – bu kontekstga o'xshash va hujjatlar to'plamidagi ma'lumotlarni ifodalaydigan *so'zlar guruhi* hisoblana-

¹Elov Botir Boltayevich – texnika fanlari falsafa doktori, dotsent. Alisher Navoiy nomidagi Toshkent davlat o'zbek tili va adabiyoti universiteti.

E-pochta: elov@navoiy-uni.uz

ORCID: 0000-0001-5032-6648

²Aloyev Narzullo Raxmatilloyevich – Alisher Navoiy nomidagi Toshkent davlat o'zbek tili va adabiyoti universiteti tayanch doktoranti.

E-pochta: vip.alayev@gmail.com

ORCID: 0009-0009-4625-5539

³Yuldashev Aziz Uyg'un o'g'li – Alisher Navoiy nomidagi Toshkent davlat o'zbek tili va adabiyoti universiteti o'qituvchisi.

E-pochta: yuldashevaziz@navoiy-uni.uz

ORCID: 0000-0001-6704-2879

di. **M** ta hujjat va **N** ta termin (atama)dan iborat til korpusi uchun “**hujjat - atama**” matritsasi (Document-Term Matrix, DTM)ning umumiy tuzilishi quyida ko’rsatilgan [Pradana, 2020]:

		Terminlar				
		T1	T2	T3	TN	
Hujjatlar	D1	w11	w12	w13	...	w1N
	D2	w21	w22	w23	...	w2N
	D3	w31	w32	w33	...	w3N

	DM	wM1	wM2	wM3	...	wMN

1-rasm. M ta hujjat va N ta termin (atama)dan iborat jadval (matritsa)

Berilgan matritsanı tahlil qilamiz:

- D_1, D_2, \dots, D_M – M hujjatlar;
- T_1, T_2, \dots, T_N – N atamalar.

“Hujjat-atama” matritsasini to’ldirish uchun keng qo’llaniladigan **TF-IDF** usulidan foydalanamiz.

TF-IDF baholash formulasи

TF-IDF baholash quyidagi tenglama orqali aniqlanadi [Elov, Xusainova, Xudoyberganov, 2022; Elov, Hamroyeva, Xusainova, 2023]:


Bu yerda,

- $TF_{ij} - D_i$ hujjatda T_j atamasining uchrash soni;
- $df_j - T_j$ atamasini o’z ichiga olgan hujjatlar soni.

Muayyan hujjatda ko’p ishlatilgan, biroq til korpusda kamdan-kam uchraydigan atama yuqori IDF bahosiga ega bo’ladi. Keyinги qadamda matritsalarни faktorizatsiya qilish usullarini ko’rib chiqiladi.

Singular qiymatlarni ajratish (Singular Value Decomposition, SVD) yordamida tematik modellashtirish

Tematik modellashtirishda SVDning ishlatilishi quyidagi 2-rasmda ko’rsatilgan[Ke, Wang, 2022]:




2-rasm. Singular qiymatlarni ajratish (SVD) yordamida tematik modellashtirish

D “hujjat - atama” matritsasidan **SVD** metodi yordamida quyi-dagi 3 ta matritsa hosil qilinadi:

- **U – chap singular vektor matritsasi.** Bu matritsa **D.D_T Gram** matritsasining o’ziga xos bo’linishi orqali hosil qilinadi. Ko’p hollarda ushbu matritsa **hujjatlarning o’xshashlik matritsasi** deb ham nomlanadi. O’xshashlik matritsasining i, j -chi yozuvni i hujjat j hujjatiga qanchalik o’xshashligini anglatadi.
- **S – Singular qiymat matritsasi.** Ushbu matritsa mavzularning nisbiy ahamiyatini ifodalaydi.
- **V_T – o’ng singulyar vektor matritsasi.** Shuningdek, ushbu matritsa **mavzu matritsasi** deb ham ataladi. Matndagi mavzular ushbu matritsaning satrlari bo’ylab joylashtiriladi.

SVD metodi orqali D “hujjat - atama” matritsasidan 3 ta matritsa (U, S va V_T) hosil qilinadi. Natijada hosil qilingan V_T matritsasi qatorlarida mavzular joylashtiriladi.




3-rasm. SVD metodi vositasida mavzuni modellashtiruvchi SVD metodi ba’zi hollarda navbatida **Latent Semantic Indexing (LSI)** deb ham nomlanadi.

Qisqartirilgan SVD yoki k-SVD

Aytaylik, **150** ta hujjatdan iborat til korpusi mavjud bo’lsin. Til korpusini tavsiflovchi **150** xil hujjatni yoki korpus mazmunini ifodalaydigan **10** ta mavzuni o’qish masalasini ko’rib chiqamiz. Matn mazmunini yaxshi yetkazib bera oladigan oz sonli mavzularni belgilab olish ko’pincha foydali hisoblanadi. **k-SVD** metodi vositasida


ushbu vazifani bajarish mumkin. Katta o'lchamli matritsalarni o'zaro ko'paytirish katta sondagi murakkab amallarni talab qilganligi sababli, eng katta **k singular qiymatlarni** va ularga mos keladigan **mavzularni** tanlash afzaldir. **k-SVD** metodining ishlashi quyidagi 4-rasmda ko'rsatilgan [Ke, Wang, 2022; Alghamdi, Alfalqi, 2015; Qiang, Qian, Yuan, Wu, 2022]:



4-rasm. k-SVD - eng yaxshi k-darajali approximatsiya

Negativ bo'limgan matritsali faktorizatsiya (Non-Negative Matrix Factorization, NMF) yordamida tematik modellashtirish

NMF metodining ishlash prinsipi quyidagi 5-rasmda ko'rsatilgan [Kherwa, Bansal, 2020; Lemay, Baek, Doleck, 2021; Wang, Zhang, 2023]:



5-rasm. Negativ bo'limgan matritsali faktorizatsiya

Bu yerda,

- **W** – **hujjat-mavzu (document-topic matrix)** matritsasi. Ushbu matritsa mavzularning korpusi hujjatlari bo'yicha taqsimotini ifodalaydi.

- **H** – **atama-mavzu (term-topic matrix)** matritsasi. Ushbu matritsa mavzular bo'yicha terminlarning qiymatini ifodalaydi.

NMF metodidagi **W** va **H** matritsalarining barcha elementlari manfiy emasligi sababli, korpusga qo'llash birmuncha soddaroq. Shu sababli, NMF metodi orqali natijaning aniqligi biroz yuqori.

*NMF – aniq bo'limgan matritsalarini faktorizatsiya qilish (non-exact matrix factorization technique) usuli bo'lib, **W** va **H** matritsalar ko'paytmasi orqali boshlang'ich **V** matritsani aniqlab bo'lmaydi.*

Birinchi qadamda **W** va **H** matritsalar tasodifiy tarzda shaklantiriladi. NMF algoritmidagi qadamlar iterativ ravishda bajarilishi natijasida ushbu matritsa qiymatlari yangilanadi va *cost function (CF)* deb nomlanuvchi funksiya qiymatini minimallashtiradi. *CF* funksiyasi quyida ko'rsatilganidek, **V-W.H** matritsasining *Frobenius normasini* ifodalaydi:

$$\text{minimize } || \mathbf{V} - \mathbf{WH} ||_F$$

bu yerda,

- **V** - (*Document - Term Matrix*);
- **W** - (*Document - Topic Matrix*);
- **H** - (*Term - Topic Matrix*).

MxN o'lchovli A matritsaning Frobenius normasi quyidagi tenglama bilan aniqlanadi:

$$||\mathbf{A}||_F = \sqrt{\sum_{i=1}^M \sum_{j=1}^N |a_{ij}|^2}$$

SVD usuli orqali tematik modellashtirish bosqichlari

SVD usuli orqali tematik modellashtirish uchun quyidagi qadamlarni amalga oshirish lozim.

1-qadam. Mavzularni aniqlashda SVD usulidan foydalanish uchun birinchi qadamda **matn korpusini aniqlab olish** lozim. Quyidagi kod katakchasi kompyuter dasturlash bo'yicha matn bo'lagini o'z ichiga oladi.

text=[“Computer programming is the process of designing and building an executable computer program to accomplish a specific computing result or to perform a specific task.”,

“Programming involves tasks such as: analysis, generating algorithms, profiling algorithms' accuracy and resource consumption, and the implementation of algorithms in a chosen programming language (commonly referred to as coding).”

“The source program is written in one or more languages that are intelligible to programmers, rather than machine code, which is directly executed by the central processing unit.”,

“The purpose of programming is to find a sequence of instructions that will automate the performance of a task (which can be as complex as an operating system) on a computer, often for solving a given problem.”,

“Proficient programming thus often requires expertise in several different subjects, including knowledge of the application domain, specialized algorithms, and formal logic.”,

“Tasks accompanying and related to programming include: testing, debugging, source code maintenance, implementation of build systems, and management of derived artifacts, such as the machine code of computer programs.”,

“These might be considered part of the programming process, but often the term software development is used for this larger process with the term programming, implementation, or coding reserved for the actual writing of code.”,

“Software engineering combines engineering techniques with software development practices.”,

“Reverse engineering is a related process used by designers, analysts and programmers to understand and re-create/re-implement”]

2-qadam. Matn ma'lumotlari uchun **scikit-learn** paketidan **TfidfVectorizer** sinfini import qilish lozim:

```
from sklearn.feature_extraction.text import TfidfVectorizer
```

Matn korpusi uchun TF-IDF ball (qiymat)lari bilan to'ldirilgan V matritsaga ega bo'lish uchun TfidfVectorizer sinfidan foydalaniladi:

3-qadam. Yuqorida muhokama qilingan Truncated SVD (k-SVD)dan foydalanish uchun **scikit-learn** paketinida **TruncatedSVD** sinfini import qilishingiz kerak:

```
from sklearn.decomposition import TruncatedSVD
```

Barcha zarur modullar import qilganidan so'ng, matndagi mavzularni qidirishga o'tish mumkin.

4-qadam. Ushbu bosqichda **Tfidfvectorizer** obyektini yaratish lozim:

```
vectorizer = TfidfVectorizer(stop_words='english',smooth_idf=True)
```

kichik harflar, maxsus belgilarni, nomuhim so'zlarini olib tashlash

```
input_matrix = vectorizer.fit_transform(text).todense()
```

1-4 qadamlar natijasida quyidagi amallar bajarildi:

- matnlar to'plami jamlandi;
- zarur modullar import qilindi;
- Document-Term Matrix matritsasi aniqlandi.

5-qadam. 3-qadamda import qilingan **TruncatedSVD** sinfidan foydalanamiz:

```
svd_modeling= TruncatedSVD(n_components=4, algorithm='randomized', n_iter=100, random_state=122)
svd_modeling.fit(input_matrix)
```

```
components=svd_modeling.components_
vocab = vectorizer.get_feature_names()
6-qadam. Korpus hujjatlariga mos mavzularni aniqlash:
topic_word_list = []
def get_topics(components):
    for i, comp in enumerate(components):
        terms_comp = zip(vocab,comp)
        sorted_terms = sorted(terms_comp, key= lambda x:x[1], re-
verse=True)[:7]
        topic=“”
        for t in sorted_terms:
            topic= topic + ‘’ + t[0]
        topic_word_list.append(topic)
    print(topic_word_list)
    return topic_word_list
get_topics(components)
```

7-qadam. Aniqlangan mavzularni va ularni mantiqiy to‘g‘ri shakllantirilganligini tahlil qilish. SVDdan olingan komponentlarni **get_topics()** funksiyasiga parameter sifatida uzatib, *mavzular ro‘yxatini* va ushbu mavzularning har biridagi *ommabop so‘zlarni* aniqlash:

Topic 1:

code programming process software term computer engineering

Topic 2:

engineering software development combines practices techniques used

Topic 3:

code machine source central directly executed intelligible

Topic 4:

computer specific task automate **complex** given instructions

Yuqorida amalga oshirilgan 7 ta qadam natijasida 4 ta hujjatdagi mavzular aniqlandi. Aniqlangan mavzularni vizualizatsiya qilish uchun **word cloud** usulidan foydalanish mumkin. Ushbu usul orqali aniqlangan mavzular nisbiy ahamiyatiga ko‘ra ko‘rsatiladi. Har bir hujjatdagi eng muhim so‘z eng katta shrift bilan ajratilgan.

```
from wordcloud import WordCloud
import matplotlib.pyplot as plt
for i in range(4):
```

```
wc = WordCloud(width=1000, height=600, margin=3, prefer_horizontal=0.7,scale=1,background_color='black', relative_scaling=0).generate(topic_word_list[i])
plt.imshow(wc)
plt.title(f"Topic{i+1}")
plt.axis("off")
plt.show()
```

Scikit-learn paketidagi NMF sinfi metodlari orqali korpus matnlarini **tematik modellashtirish** mumkin:

```
from sklearn.decomposition import NMF
NMF_model = NMF(n_components=4, random_state=1)
W = NMF_model.fit_transform(input_matrix)
H = NMF_model.components_
```

Keyingi qadamda **get_topics()** metodi orqali **H** matritsasida-
gi mavzular ro'yxatini aniqlash mumkin:

Topic 1:

code machine source central directly executed intelligible

Topic 2:

engineering software process development used term
combines

Topic 3:

algorithms programming application different domain
expertise formal

Topic 4:

computer specific task programming automate **complex**
given

Berilgan korpus matnlari uchun SVD va NMF usullari o'x-
shash mavzular ro'yxatini qaytarishini ko'rish mumkin.

SVD va NMF usullari farqlari

Til korpusi matnlarini tematik modellashtirish uchun ushbu
ikkita matritsani faktorizatsiya qilish usullari o'rtasidagi farqlarni
keltiramiz:

- *SVD matritsalarni real faktorizatsiya qilish usulidir.
SVD usuli natijasida olingan matritsalardan kirish DTMni qayta hosil
qilish mumkin;*
- *Agar korpusga k-SVD usuli qo'llangan bo'lsa, bu holda
DTM kirishiga eng yaxshi k-darajali yaqinlashuv amalga oshiriladi;*

– NMF usuli SVD usuliga qaraganda mavzularni aniqlash natijasi yuqori.

Xulosa

Ushbu maqolada til korpusi hujjatlarini SVD va NMF metodlari orqali tematik modellashtirish masalasi ko'rib chiqildi va Python tilidagi sklearn paketi vositalari orqali dasturiy ta'minotni ishlab chiqish ketma-ket qadamlar namoyish etildi. Maqolada M ta hujjat va N ta termin (atama)dan iborat til korpusi uchun DTM (Document-Term Matrix) matrisasini shakllantirish uchun TF-IDF usulidan foydalanildi. Shuningdek, DTM matritsalarini faktorizatsiya qilishning singular qiymatlarni ajratish (Singular Value Decomposition, SVD) va Negativ bo'lmanган matritsali faktorizatsiya (Non-Negative Matrix Factorization, NMF) usullari ko'rib chiqilgan va ularning yutuq va kamchiliklari keltirilgan.

Foydalanilgan adabiyotlar

- Vayansky, I., & Kumar, S. A. P. (2020). A review of topic modeling methods. *Information Systems*, 94. <https://doi.org/10.1016/j.is.2020.101582>
- Churchill, R., & Singh, L. (2022). The Evolution of Topic Modeling. *ACM Computing Surveys*, 54(10). <https://doi.org/10.1145/3507900>
- Musthofa Galih Pradana. (2020). Penggunaan Fitur Wordcloud dan Document Term Matrix dalam Text Mining. *Jurnal Ilmiah Informatika*, 8(1).
- B.Elov, Z.Xusainova, N.Xudayberganov. O'zbek tili korpusi matnlari uchun TF-IDF statistik ko'rsatkichni hisoblash. *SCIENCE AND INNOVATION INTERNATIONAL SCIENTIFIC JOURNAL VOLUME 1 ISSUE 8 UIF-2022: 8.2 ISSN: 2181-3337*
https://www.academia.edu/105829396/OZBEK_TILI_KORPUSI_MATNLARI_UCHUN_TE_IDF_STATISTIK_KORSATKICHNI_HISOBLASH
- B.Elov, Sh.Khamroeva, Z.Xusainova (2023). The pipeline processing of NLP. *E3S Web of Conferences* 413, 03011, *INTERAGROMASH 2023*. <https://doi.org/10.1051/e3sconf/202341303011>
- Ke, Z. T., & Wang, M. (2022). Using SVD for Topic Modeling. *Journal of the American Statistical Association*.
<https://doi.org/10.1080/01621459.2022.2123813>
- Alghamdi, R., & Alfalqi, K. (2015). A Survey of Topic Modeling in Text Mining. *International Journal of Advanced Computer Science and Applications*, 6(1). <https://doi.org/10.14569/ijacsa.2015.060121>
- Qiang, J., Qian, Z., Li, Y., Yuan, Y., & Wu, X. (2022). Short Text Topic Modeling Techniques, Applications, and Performance: A Survey. In *IEEE Transactions on Knowledge and Data Engineering* (Vol. 34, Issue 3). <https://doi.org/10.1109/TKDE.2020.2992485>

- Kherwa, P., & Bansal, P. (2020). Topic Modeling: A Comprehensive Review. *EAI Endorsed Transactions on Scalable Information Systems*, 7(24). <https://doi.org/10.4108/eai.13-7-2018.159623>
- Lemay, D. J., Baek, C., & Doleck, T. (2021). Comparison of learning analytics and educational data mining: A topic modeling approach. *Computers and Education: Artificial Intelligence*, 2. <https://doi.org/10.1016/j.caeai.2021.100016>
- Wang, J., & Zhang, X. L. (2023). Deep NMF topic modeling. *Neurocomputing*, 515. <https://doi.org/10.1016/j.neucom.2022.10.002>

Botir Elov¹,
Narzullo Alayev²,
Aziz Yuldashev³

Abstract

In the field of natural language processing (NLP), topic modeling is an unsupervised learning task that aims to identify abstract topics from a set of documents. In thematic modeling, abstract topics about the text are identified by considering the text corpus of many documents. Topic modeling is an intractable task for Machine Learning (ML). This article examines the issue of thematic modeling of language corpus texts using SVD and NMF methods.

Keywords: language corpus, thematic modeling, document-topic, term-topic.

References

- Vayansky, I., & Kumar, S. A. P. (2020). A review of topic modeling methods. *Information Systems*, 94. <https://doi.org/10.1016/j.is.2020.101582>
- Churchill, R., & Singh, L. (2022). The Evolution of Topic Modeling. *ACM Computing Surveys*, 54(10). <https://doi.org/10.1145/3507900>
- Musthofa Galih Pradana. (2020). Penggunaan Fitur Wordcloud dan Document Term Matrix dalam Text Mining. *Jurnal Ilmiah Informatika*, 8(1).
- B.Elov, Z.Xusainova, N.Xudayberganov. O'zbek tili korpusi matnlari uchun TF-IDF statistik ko'rsatkichni hisoblash. *SCIENCE AND INNOVATION INTERNATIONAL SCIENTIFIC JOURNAL VOLUME 1 ISSUE 8 UIF-2022: 8.2 ISSN: 2181-3337*
https://www.academia.edu/105829396/OZBEK_TILI_KORPUSI_MATNLARI_UCHUN_TF_IDF_STATISTIK_KORSATKICHNI_HISOBLASH
- B.Elov, Sh.Khamroeva, Z.Xusainova (2023). The pipeline processing of NLP. *E3S Web of Conferences* 413, 03011, *INTERAGROMASH*

¹Elov Botir Boltayevich – doctor of philosophy of technical sciences (PhD), associate professor. Tashkent State University of Uzbek Language and Literature named after Alisher Navoi.

E-mail: elov@navoij-uni.uz

ORCID: 0000-0001-5032-6648

²Aloyev Narzullo Raxmatilloyevich – PhD student of Tashkent State University of Uzbek Language and Literature named after Alisher Navoi.

E-mail: vip.alayev@gmail.com

ORCID: 0009-0009-4625-5539

³Yuldashev Aziz Uyg'un o'g'li – Teacher of Tashkent State University of Uzbek Language and Literature named after Alisher Navoi.

E-mail: yuldashevaziz@navoij-uni.uz

ORCID: 0000-0001-6704-2879

2023. <https://doi.org/10.1051/e3sconf/202341303011>

Ke, Z. T., & Wang, M. (2022). Using SVD for Topic Modeling. *Journal of the American Statistical Association*.

<https://doi.org/10.1080/01621459.2022.2123813>

Alghamdi, R., & Alfalqi, K. (2015). A Survey of Topic Modeling in Text Mining. *International Journal of Advanced Computer Science and Applications*, 6(1). <https://doi.org/10.14569/ijacsa.2015.060121>

Qiang, J., Qian, Z., Li, Y., Yuan, Y., & Wu, X. (2022). Short Text Topic Modeling Techniques, Applications, and Performance: A Survey. In *IEEE Transactions on Knowledge and Data Engineering* (Vol. 34, Issue 3). <https://doi.org/10.1109/TKDE.2020.2992485>

Kherwa, P., & Bansal, P. (2020). Topic Modeling: A Comprehensive Review. *EAI Endorsed Transactions on Scalable Information Systems*, 7(24). <https://doi.org/10.4108/eai.13-7-2018.159623>

Lemay, D. J., Baek, C., & Doleck, T. (2021). Comparison of learning analytics and educational data mining: A topic modeling approach. *Computers and Education: Artificial Intelligence*, 2. <https://doi.org/10.1016/j.caeai.2021.100016>

Wang, J., & Zhang, X. L. (2023). Deep NMF topic modeling. *Neurocomputing*, 515. <https://doi.org/10.1016/j.neucom.2022.10.002>